

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD
Issue date: 6/1/2015 Revision date: 1/6/2023 Supersedes version of: 6/20/2018 Version: 0.3

Danger



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Ethane (CANGas)
SDS no : D-051A-C2H6_DD
Other means of identification : Ethane (CANGas)
CAS-No. : 74-84-0
EC-No. : 200-814-8
EC Index-No. : 601-002-00-X

REACH registration No : Registration deadline not expired.

Chemical formula : C₂H₆

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Industrial and professional uses. Perform risk assessment prior to use.
Test gas/Calibration gas.
Laboratory use.
Contact supplier for more information on uses.
Uses advised against : Consumer use.

1.3. Details of the supplier of the safety data sheet

Messer Industriegase GmbH GmbH
Messer- Platz 1
D - 65812 Bad Soden am Taunus
Germany
T 0049-(0)-6196 7760-200 - F 0049-(0)-6196 7760-280
SDB.de@messergroup.com - www.messer.de

1.4. Emergency telephone number

Emergency telephone number : Messer Produktionsgesellschaft Salzgitter GmbH +49 (0) 5341 21-9333, erreichbar
Montags 0:00 bis Sonntags 24:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards Aerosol, Category 1 H222;H229

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD

| | |
|--------------------------------|---|
| Signal word (CLP) | : Danger |
| Hazard statements (CLP) | : H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. |
| Precautionary statements (CLP) | |
| - Prevention | : P211 - Do not spray on an open flame or other ignition source. P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking. P251 - Do not pierce or burn, even after use. |
| - Storage | : P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. |

2.3. Other hazards

Asphyxiant in high concentrations.
Contact with liquid may cause cold burns/frostbite.

SECTION 3: Composition/information on ingredients

3.1. Substances

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------|--|-----|---|
| ethane | CAS-No.: 74-84-0 EC-No.: 200-814-8 EC Index-No.: 601-002-00-X REACH registration No: 01-2119486765-21 | 100 | Flam. Gas 1A, H220 Press. Gas (Liq.), H280 |

Contains no other components or impurities which will influence the classification of the product.

Not applicable

3.2. Mixtures

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------|--|
| - Inhalation | : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped. |
| - Skin contact | : Adverse effects not expected from this product. |
| - Eye contact | : Adverse effects not expected from this product. |
| - Ingestion | : Ingestion is not considered a potential route of exposure. |

4.2. Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation.
In low concentrations may cause narcotic effects. Symptoms may include dizziness, headache, nausea and loss of co-ordination.
See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|----------------------------------|--|
| - Suitable extinguishing media | : Shutting off the source of the gas is the preferred method of control. |
| - Unsuitable extinguishing media | : Do not use water jet to extinguish. |

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD

5.2. Special hazards arising from the substance or mixture

- Specific hazards : Exposure to fire may cause containers to rupture.
Exposure to fire may cause containers to explode.
- Hazardous combustion products : Incomplete combustion may form carbon monoxide.

5.3. Advice for firefighters

- Specific methods : Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems.
If possible, stop flow of product.
Use water spray or fog to knock down fire fumes if possible.
Move containers away from the fire area if this can be done without risk.
- Special protective equipment for fire fighters : Use self-contained breathing apparatus.
Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.
Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Remove ignition sources.
No open flames. No smoking.
Eliminate ignition sources.
Ensure adequate air ventilation.
- For non-emergency personnel : Do not breathe gas

6.2. Environmental precautions

Try to stop release.

6.3. Methods and material for containment and cleaning up

Ventilate area.

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Safe use of the product : The product must be handled in accordance with good industrial hygiene and safety procedures.
Only experienced and properly instructed persons should handle gases under pressure.
Consider pressure relief device(s) in gas installations.
Ensure the complete gas system was (or is regularly) checked for leaks before use.
Do not smoke while handling product.
Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.
Assess the risk of potentially explosive atmospheres and the need for explosion-proof equipment.
Purge air from system before introducing gas.
Take precautionary measures against static discharge.
Keep away from ignition sources (including static discharges).
Consider the use of only non-sparking tools.
Do not breathe gas.
Avoid release of product into work area.

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD

Safe handling of the gas receptacle

- : Refer to supplier's container handling instructions.
- Never use direct flame or electrical heating devices to raise the pressure of a container.
- Containers should be stored in the vertical position and properly secured to prevent them from falling over.
- Druckdose an einem gut gelüfteten Ort lagern.

7.2. Conditions for safe storage, including any incompatibilities

- Observe all regulations and local requirements regarding storage of containers.
- Containers should not be stored in conditions likely to encourage corrosion.
- Containers should be stored in the vertical position and properly secured to prevent them from falling over.
- Keep container below 50°C in a well ventilated place.
- Segregate from flammable gases and other flammable materials in store.
- Store containers in location free from fire risk and away from sources of heat and ignition.
- Keep away from combustible materials.
- Druckdose an einem gut gelüfteten Ort lagern.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

- Provide adequate general and local exhaust ventilation.
- Systems under pressure should be regularly checked for leakages.
- Ensure exposure is below occupational exposure limits (where available).
- Oxygen detectors should be used when asphyxiating gases may be released.
- The substance is not classified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.
- Consider the use of a work permit system e.g. for maintenance activities.

8.2.2. Individual protection measures, e.g. personal protective equipment

- Eye/face protection
 - : Provide adequate general and local exhaust ventilation.
 - : Systems under pressure should be regularly checked for leakages.
 - : Ensure exposure is below occupational exposure limits (where available).
 - : Oxygen detectors should be used when asphyxiating gases may be released.
 - : The substance is not classified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.
 - : Consider the use of a work permit system e.g. for maintenance activities.
 - : PPE compliant to the recommended EN/ISO standards should be selected.
 - : Wear safety glasses with side shields.
 - : Wear goggles when transfilling or breaking transfer connections.
 - : Standard EN 166 - Personal eye-protection - specifications.
- Skin protection
 - Hand protection
 - : Wear working gloves when handling gas containers.
 - : Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher.
 - Other
 - : Wear safety shoes while handling containers.
 - : Standard EN ISO 20345 - Personal protective equipment - Safety footwear.
- Respiratory protection
 - : Gas filters may be used if all surrounding conditions e.g. type and concentration of the contaminant(s) and duration of use are known.
 - : Recommended: Filter AX (brown).
 - : Gas filters do not protect against oxygen deficiency.
 - : Standard EN 14387 - Gas filter(s), combined filter(s) and standard EN136, full face masks .
 - : Consult respiratory device supplier's product information for the selection of the appropriate device.

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD

• Thermal hazards : None necessary.

8.2.3. Environmental exposure controls

Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Appearance | |
| - Physical state at 20°C / 101.3kPa | : Gas |
| - Colour | : Colourless. |
| Odour | : odourless |
| | Odour threshold is subjective and inadequate to warn of overexposure. |
| | Odour threshold is subjective and inadequate to warn of overexposure. |
| pH | : Not applicable. |
| Melting point / Freezing point | : -183 °C |
| | -183 °C |
| Boiling point | : -88.6 °C |
| Flash point | : Not applicable for gases and gas mixtures. |
| Flammability | : Not available |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Vapour pressure [20°C] | : 37.8 bar(a) |
| Vapour pressure [50°C] | : Not applicable. |
| Density | : Not applicable |
| Vapour density | : Not available |
| Relative density, liquid (water=1) | : 0.54 |
| Relative density, gas (air=1) | : 1 |
| Water solubility | : 61 mg/l |
| Partition coefficient n-octanol/water (Log Kow) | : 1.81 |
| Auto-ignition temperature | : Non flammable. |
| Decomposition temperature | : Not available |
| Viscosity, kinematic | : Not applicable. |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | : Not applicable. |
| Oxidising properties | : None. |
| Tci | : 4.5 % |
| Critical temperature [°C] | : 32 °C |

9.2.2. Other safety characteristics

| | |
|------------------|--|
| Molar mass | : 30 g/mol |
| Evaporation rate | : Not applicable for gases and gas mixtures. |
| Gas group | : Compressed gas |
| Other data | : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level. |

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD

10.3. Possibility of hazardous reactions

Reactivity

May react violently with oxidants.
May react explosively even in the absence of air.
Can form explosive mixture with air.
: This mixture contains components with the following reactivity : Can form explosive mixture with air. May react violently with oxidants.

10.4. Conditions to avoid

Direct sunlight.
Extremely high or low temperatures.
Moisture.
Sparks.
High temperature.
No flames, no sparks. Eliminate all sources of ignition.
Avoid contact with hot surfaces.
Overheating.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Protect from sunlight.
Heat.

10.5. Incompatible materials

Air, Oxidisers.
For additional information on compatibility refer to ISO 11114.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|---------------------------------------|---|
| Acute toxicity | : No known toxicological effects from this product. |
| Skin corrosion/irritation | : No known effects from this product. |
| Serious eye damage/irritation | : No known effects from this product. |
| Respiratory or skin sensitisation | : No known effects from this product. |
| Germ cell mutagenicity | : No known effects from this product. |
| Carcinogenicity | : No known effects from this product. |
| Toxic for reproduction : Fertility | : No known effects from this product. |
| Toxic for reproduction : unborn child | : No known effects from this product. |
| STOT-single exposure | : No known effects from this product. |
| STOT-repeated exposure | : No known effects from this product. |
| Aspiration hazard | : Not applicable for gases and gas mixtures. |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---------------------------------|--|
| Assessment | : Classification criteria are not met. |
| EC50 48h - Daphnia magna [mg/l] | : 46.6 mg/l |
| EC50 72h - Algae [mg/l] | : 16.5 mg/l |
| LC50 96 h - Fish [mg/l] | : 91.4 mg/l |

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD

12.2. Persistence and degradability

Assessment : The substance is readily biodegradable. Unlikely to persist.
No data available.

12.3. Bioaccumulative potential

Assessment : Not expected to bioaccumulate due to the low log Kow (log Kow < 4).
See section 9.

12.4. Mobility in soil

Assessment : No data available.
Assessment : Because of its high volatility, the product is unlikely to cause ground or water pollution.

12.5. Results of PBT and vPvB assessment

Assessment : Not classified as PBT or vPvB.

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Effect on the ozone layer : None.
Global warming potential [CO2=1] : 6
Effect on global warming : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contact supplier if guidance is required.
Do not discharge into any place where its accumulation could be dangerous.
Ensure that the emission levels from local regulations or operating permits are not exceeded.
Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at <http://www.eiga.eu> for more guidance on suitable disposal methods.
List of hazardous waste codes (from Commission Decision 2000/532/EC as amended) : 16 05 04 *: Gases in pressure containers (including halons) containing hazardous substances.
16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.

13.2. Additional information

None.

SECTION 14: Transport information

14.1. UN number or ID number

In accordance with ADR / RID / IMDG / IATA / ADN
UN-No. : 1950

14.2. UN proper shipping name

Transport by road/rail (ADR/RID) :
Transport by air (ICAO-TI / IATA-DGR) : Aerosols, flammable
Transport by sea (IMDG) : AEROSOLS

14.3. Transport hazard class(es)

Labelling



2.1 : Flammable gases.

Transport by road/rail (ADR/RID)

| | |
|---------------------|---|
| Class | : 2 |
| Classification code | : 5F |
| Tunnel Restriction | : D - Passage forbidden through tunnels of category D and E |

Transport by air (ICAO-TI / IATA-DGR)

| | |
|-----------------------------|-------|
| Class / Div. (Sub. risk(s)) | : 2.1 |
|-----------------------------|-------|

Transport by sea (IMDG)

| | |
|-------------------------------------|-------|
| Class / Div. (Sub. risk(s)) | : 2.1 |
| Emergency Schedule (EmS) - Fire | : F-D |
| Emergency Schedule (EmS) - Spillage | : S-U |

14.4. Packing group

| | |
|---------------------------------------|------------------|
| Transport by road/rail (ADR/RID) | : Not applicable |
| Transport by air (ICAO-TI / IATA-DGR) | : Not applicable |
| Transport by sea (IMDG) | : Not applicable |

14.5. Environmental hazards

| | |
|---------------------------------------|---------|
| Transport by road/rail (ADR/RID) | : None. |
| Transport by air (ICAO-TI / IATA-DGR) | : None. |
| Transport by sea (IMDG) | : None. |

14.6. Special precautions for user

Packing Instruction(s)

| | |
|---------------------------------------|-----------------|
| Transport by road/rail (ADR/RID) | : P207. LP02 |
| Transport by air (ICAO-TI / IATA-DGR) | |
| Passenger and Cargo Aircraft | : 203. |
| Cargo Aircraft only | : 203. |
| Transport by sea (IMDG) | : P207. LP02 |

| | |
|-------------------------------|---|
| Special transport precautions | : Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation. - Ensure that containers are firmly secured. - Ensure valve is closed and not leaking. - Ensure valve outlet cap nut or plug (where provided) is correctly fitted. - Ensure valve protection device (where provided) is correctly fitted. |
|-------------------------------|---|

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

| | |
|--|---|
| Restrictions on use | : None. |
| Other information, restriction and prohibition regulations | : Ensure all national/local regulations are observed. |
| Seveso Directive : 2012/18/EU (Seveso III) | : Listed. |

National regulations

| | |
|--------------------------|--------------------------------|
| Water hazard class (WGK) | : nwg - Non-hazardous to water |
| Kenn-Nr. | : 91 |

Safety Data Sheet

Ethane (CANGas)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: D-051A-C2H6_DD

Regulatory reference : National / local legislations :
Sec15 DE General.
Sec 15 DE Flam.
.
Classification for storage according to TRGS 510 : 2B Aerosolpackungen und Feuerzeuge.

15.2. Chemical safety assessment

A CSA has been carried out.
Refer to section 8.2.

SECTION 16: Other information

Indication of changes :
Training advice : Receptacle under pressure.
Further information : This Safety Data Sheet has been established in accordance with the applicable European Union legislation.
Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP).

Full text of H- and EUH-statements

| | |
|-----------|---|
| Aerosol 1 | Aerosol, Category 1 |
| H222 | Extremely flammable aerosol. |
| H229 | Pressurised container: May burst if heated. |

DISCLAIMER OF LIABILITY : Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.
Details given in this document are believed to be correct at the time of going to press.
Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document